C A R V
/ N G





THE ESSENCE OF

Derfection/







A team of visionary youths, hailing from small villages of Gujarat, gather to innovate and discover the luxury directing towards success in Ceramic Industries. Our main aim points us to customer satisfaction and delivering even beyond it.

Our constant growth will always ensure saving the environment, water, electricity and energy.

We create to become a superpower by collaborating latest technology with skilled manpower. We look forward to researching, develop and suffice your desires

## APPLICATION





FLOORTILE



WALL TILE



KITCHEN



LIVING ROOM



HOTEL



STORE




BATHROOM



RESTAURANT & BAR

## SPECIFICATION



























WATER ABSORPTION

BENDING

ABRASION RESISTANCE

ABRASION DEEP RESISTANCE

LINEAR THERMAL

THERMAL SHOCK

FROST RESISTANCE

CHEMICAL

RESISTANCE

RESISTANCE

SLIP RESISTANCE

#### THE TABLE OF CONTENT














SYMBOLS





















SIZE: **800X1600MM** THICKNESS: 9MM SURFACE: **POLISHED** 























































































SIZE: **800X1600MM** 

THICKNESS: 9MM



















SIZE: 800X1600MM

THICKNESS: 9MM





















SIZE: **800X1600MM** THICKNESS: 9MM SURFACE: **POLISHED** 











# BOLONIA BEIGE





































SIZE: **800X1600MM** 


THICKNESS: 9MM

















SIZE: **800X1600MM** 

THICKNESS: 9MM











## CONCORDE MOSS









SIZE: **800X1600MM** 

THICKNESS: 9MM





















SIZE: **800X1600MM** THICKNESS: 9MM SURFACE: **POLISHED** 





















SIZE: **800X1600MM** THICKNESS: 9MM SURFACE: **POLISHED** 

























SIZE: 800X1600MM THICKNESS: 9MM SURFACE: **POLISHED** 





### CRISTAN GREY









SIZE:
800X1600MM
THICKNESS:
9MM
SURFACE:
POLISHED






















SIZE: 800X1600MM THICKNESS: 9MM SURFACE: **POLISHED** 























SIZE: 800X1600MM THICKNESS: 9MM



















SIZE: 800X1600MM THICKNESS: 9MM

























SIZE: **800X1600MM** 

THICKNESS: 9MM































## FABRIC GREY









## FEBRICO SILVER





SIZE: 800X1600MM

THICKNESS: 9MM













## **FEBRICO IVORY**































SIZE: 800X1600MM THICKNESS: 9MM













SIZE: 800X1600MM

THICKNESS: 9MM
































































SIZE: 800X1600MM

THICKNESS: 9MM






































































































































































































































SIZE: **800X1600MM** THICKNESS: 9MM































# MACUBA GREY











THICKNESS: 9MM


























### MAICRO CHIPS





















































THICKNESS: 9MM











# METAL BROWN










































# MOSSIVORY





















### NOHA
























































THICKNESS: 9MM





# POLAR BIANCO





SIZE: **800X1600MM** 

THICKNESS: 9MM

















SIZE: 800X1600MM

THICKNESS: 9MM





















SIZE: 800X1600MM

THICKNESS: 9MM






















































































































































SIZE: 800X1600MM THICKNESS: 9MM SURFACE: **POLISHED** 























SIZE: **800X1600MM** THICKNESS: 9MM SURFACE: **POLISHED** 
















































SIZE: **800X1600MM** THICKNESS: 9MM














## SENTILIA BROWN









SIZE:
800X1600MM
THICKNESS:
9MM
SURFACE:
POLISHED





















SIZE: **800X1600MM** 

THICKNESS: 9MM
























SIZE: 800X1600MM THICKNESS: 9MM SURFACE: **POLISHED** 



## STONEX GREY









SIZE:
800X1600MM

THICKNESS:
9MM

SURFACE:
POLISHED













































SIZE: 800X1600MM THICKNESS: 9MM





















SIZE: 800X1600MM THICKNESS: 9MM SURFACE: **POLISHED** 













































SIZE: **800X1600MM** THICKNESS: 9MM























THICKNESS: 9MM





































## TRAVERTINE BEIGE



























































THICKNESS: 9MM













## VENETINO CLOUD


































THICKNESS: 9MM





















SIZE: **800X1600MM** THICKNESS: 9MM










# VENETINO TORTILLA











SIZE: **800X1600MM** THICKNESS: 9MM





















SIZE: **800X1600MM** THICKNESS: 9MM



















THICKNESS: 9MM

























THICKNESS: 9MM





















THICKNESS: 9MM



### TECHNICAL SPECIFICATIONS

DIMENSIO	N & SURFA	CE OUALITY

CHARACTERISTIC	TEST METHOD	INTERNATIONAL STD ISO 13006/EN 176 GROUP B1a	VALUE
Deviation in length	ISO-10545-2	<u>±</u> 0.6%	± 0.2%
Deviation in Thickness	ISO-10545-2	±5%	±3%
Straight of Sides	ISO-10545-2	± 0.5%	± 0.2%
Rectangularity	ISO-10545-2	± 0.5%	± 0.2%
Surface Flatness	ISO-10545-2	± 0.5%	± 0.2%

#### PHYSICAL & THERMAL PROPERTIES

Water Absorption	ISO-10545-3	< 0.50%	< 0.04%
Mohs Hardness	EN-101	Min.5	Min.5
Flexural Strength	ISO-10545-4	> 35N/mm2	≱0N/mm2
Skid Resistance (Friction Coefficient)	ISO-10545-17	> 0.4	> 0.4
Breaking Strenght	ISO-10545-11	> 1113N	> 1800N
Frost Resistance	ISO-10545-12	Frost Proof	Frost Proof
Thermal Shock Resistance	ISO-10545-9	No Damage	No Damage
Noisture Expansion	ISO-10545-10	NIL	NIL
Resistance to Surface Abrasion	ISO-10545-7	Abrasion class shall be specified by the manufacturer	PIE IV

#### **CHEMICAL PROPERTIES**

Chemical Resistance	ISO-10545-13	No Damage	No Damage
Color Resistance	ISO-10545-16	No Damage	No Damage
Stain Resistance	ISO-10545-14	Resistant	Resistant

### **PACKING DETAILS**

DIMENSION (MM)	BOX PIECES	Sq. Mtr.	Sq. Feet	WEIGHT (Apx.)
800x1600mm	2	2.56	27.55	55Kgs.



+91 96872 61000 / hindgresceramica

info@hindgres.com / hindgres.com / 🖪 🌀